

Workbook: High-Risk Guidebook for Infants

A Workbook to Accompany the High-Risk Guidebook for Infants Last Updated: October 2019

Table of Contents

Table of Contents	2
Using this Workbook	4
Module 1: Introduction	5
Module 2: Anthropometrics - The 100s Codes	
103.1: Underweight or At Risk for Underweight	7
115: Weight/Length ≥ 98th percentile	7
134: Failure to Thrive	8
141: Low Birth Weight and Very Low Birth Weight	8
142.1: Prematurity	9
Module 3: Biochemical and Clinical - The 200s and 300s Codes	10
201: Low Hemoglobin/Low Hematocrit	10
345: Hypertension and Prehypertension	11
349: Genetic and Congenital Disorders	11
351: Inborn Errors of Metabolism	12
353: Food Allergies	13
354: Celiac Disease	15
Module 4: Dietary Codes and the Concern with High-Risk Participants	17
Case Studies	
103.1 Underweight Case Study	18
115 Weight for Length ≥ 98 th percentile Case Study	21
134 Failure to Thrive Case Study	24
135 Inadequate Growth Case Study	27
343 Diabetes Mellitus Case Study	29
362 Developmental Delay Case Study	32
Formula Case Study #1: Alimentum	35
Formula Case Study #2: Similar Sensitive	39

Using this Workbook

This workbook was created to accompany the High-Risk Guidebook for Infants. As you read through the Guidebook, keep this workbook nearby so that you can easily access it to answer the Critical Thinking Questions and Case Study questions. Take notes and talk with your trainer about these questions and anything else that comes to mind that might help you become a more successful WIC RDN or MRN.

You will also have the chance to go through the case studies in a role play with your trainer or fellow RDNs and MRNs. This is great practice to incorporate PCS skills into your counseling and assessment of participants. Try to make these role-playing exercises as real as possible, and discuss questions and concerns you have with your trainer when the role play is over.

If you and your trainer still have questions after discussing the situations, please contact your State Nutrition Consultant or the State Training Team.

Module 1: Introduction

Using Your PCS Skills

1.	How would you (in line with the PCS model) correct or empower the parent or caregiver to make
	a change in the infant's best interest? (i.e., start giving more formula because the family has been
	underfeeding the infant) Write out your transition into offering nutrition education on this topic.

2. A mother tells you that she is exclusively breastfeeding her baby (3 months old). She says that the doctor told her to start formula to help the baby gain weight. Write out some of the questions (in line with PCS model) that you would want to ask Mary.

3. Write out two or three examples of how you can acknowledge what the parent or caregiver has told you is going on with their infant and redirect it to the infant's nutrition.

Module 2: Anthropometrics - The 100s Codes

103.1: Underweight or At Risk for Underweight

1. List some of your main concerns that you would be listening for Mary to address while she explains how Eric is feeding.

115: Weight/Length ≥ 98th percentile

1. How could you start the conversation to assess the parent's or caregiver's feelings towards their infant's weight-for-length?

2. What other open-ended questions would you ask to gather all the information that you want to know?

ARIZONA WIC
124. E.: L (EPP)
134: Failure to Thrive (FTT)
1. List all the questions that you would want to ask a mother with an infant diagnosed with FTT.
141: Low Birth Weight and Very Low Birth Weight
1. Write out examples of how you can gather the information you need for your assessment in a not leading way.



142.1: Prematurity

1. What questions would you want to ask the parents regarding the infant's feeding patterns?

2. How would you inform the parent or caregiver that they should be feeding their premature infant ready-to-feed formula instead of powder?

Module 3: Biochemical and Clinical - The 200s and 300s Codes



201: Low Hemoglobin/Low Hematocrit

1. What are three assessment questions you would want to ask the parent or caregiver to find out more information about the infant?

2. Identify resources you can use in your clinic and agency to help parents and caregivers with infants that have presented with low iron status.

3. What are other ways you can help educate on healthy foods to offer the infant?

345: Hypertension and Prehypertension

1. The next appointment that you take part in, whether you are the one leading the appointment or shadowing someone else, pay attention to how you could use the summarizing skill. Write below the main things that were discussed in the appointment, including the goal or behavior change the participant decided upon. Then write out how you could summarize the appointment for the participant.

349: Genetic and Congenital Disorders

1. Wendy comes to the WIC clinic with her 2-month-old baby James, who has Down syndrome. Write out all the topics that you would want to cover with the mother and samples of how you could gather this information in a PCS way.

351: Inborn Errors of Metabolism

1. Is your assessment finished? How can you respond to parents and caregivers that tell you they have no questions or concerns about their infant's medical conditions?

2. Write down a better way to respond to Lindsay saying that she has a good health care team that will continue to allow you to gather information for your assessment of George.

353: Food Allergies

1. You are seeing an infant for high-risk 353 and the parent tells you that the doctor diagnosed the baby with a milk protein allergy and has written a prescription for Similac Sensitive or Enfamil Gentlease. What are your thoughts?

2. What would your next steps be?

3. Discuss some possible scenarios you might encounter when calling the pediatrician to ask about a prescription that doesn't match the diagnosis of milk protein allergy.

354: Celiac Disease

1.	When meeting with a family that is confused about what celiac disease is, how would you explain
	it to them?

2. Are there any resources you would want to share with them? What other information might be helpful to them to manage the strict diet?

3. This can be an overwhelming disease to manage since the infant must follow a very strict diet. What can you say to the family to help alleviate some of the stress?

Module 4: Dietary Codes and the Concern with High-Risk Participants

1. How are WIC codes 411.2 and 115 related?

2. How can you use this information that you received from Rowen's chart to guide your conversation with his mother?

Case Studies

Work with your trainer and any other newly hired RDNs to go through this case study as a role play. Have the trainer be the participant and the new RDN go through a full high-risk assessment, including writing the note. Prompts will be given for the trainer to use, as they are playing the participant.

103.1: Underweight Case Study

General Information

Participant is a 6-month-old baby girl Rita.

Birth weight and length: 8 lbs 12 oz and 21½"

5-month (certification) weight and length: 12 lbs and 251/2"

Today Rita has been brought to the high-risk appointment by her mother, Georgia. You weigh Rita and she weighs 13 lbs 1 oz and measures 26". Assess her growth on the growth grid in HANDS.

Assessment

You review previous TGIF notes and learn that Rita was born at term and has been exclusively breastfed. Georgia started offering baby foods at 4 months per the pediatrician's recommendations. Rita didn't seem to like the foods at the time but has since really taken to them and mom was feeding pureed foods three times a day and nursing every four hours. Mom's concerns were that Rita was too skinny. You start the conversation by asking mom to choose a fabric that describes how she feels about Rita's mealtimes and feedings. Mom pulls out a fleece fabric and says she likes feedings, especially nursing, and she likes that Rita enjoys her fruits and veggies. She tells you that she hasn't introduced meats yet. She has started offering a bottle with water in it with Rita's meals, which is three times a day. Mom tells you that at Rita's last well-check, the doctor told her to start supplementing with formula to help bring up her weight, which he said was low. Mom was upset about this because she really enjoys nursing and doesn't want to add formula.

1. What other follow-up questions would you ask Georgia?

ARIZONA WIC
2. What other information would you like to collect?
3. Now that you have completed the assessment, what are your initial thoughts about Rita's nutrition
4. What nutrition care plan would you put together for Rita?

ARIZONA WIC
When you have finished, write your SOAP/ADIME note below.
when you have hinshed, write your SOAF/ADIWL hote below.
Discussion Notes:

115: Weight for Length ≥ 98th percentile Case Study

General Information

You are seeing Amanda and her 11-month-old baby boy Ellis. Ellis' weight and length are:

10 months: 23 lbs,12 oz, 28"

Today's (11 months): 26 lbs, 29 1/2"

Assessment

You start the appointment by using the projective technique of the doors. You say, "I have pictures here of doors from all over the world that represent the hopes and dreams that parents have for their children. Will you chose a door that speaks to you about your hopes and dreams for Ellis?"

Amanda selects a large wooden door with green and vibrant plants surrounding it.

"Beautiful. Now if I could give you a key that would unlock and open this door to your hopes and dreams for Ellis, what hopes and dreams would be there?"

1. What "red flags" or important concerns have you noticed during your conversation with Amanda?

2. How could you transition to start the conversation about Ellis' weight and his nutrition?

ARIZONA WIC
3. What other follow-up questions would you ask Amanda?
4. How could you transition to find out how Amanda feels about Ellis' weight and what the doctor has told her?
5. What nutrition education would you want to give Amanda?

ARIZONA WIC
6. Write down the way you would transition to offering nutrition information for baby Ellis.
When you have finished, write your SOAP/ADIME note below.
Discussion Notes:

134: Failure to Thrive Case Study

General Information

Lincoln, a 5-month-old baby boy, has been diagnosed with FTT by his pediatrician. His mother, Julia, brings him into the WIC clinic.

General anthropometric information:

Birth: 7 lbs 10 oz and 21½"

4 months: 11 lbs 9 oz and 24" 5 months: 14 lbs and 26½"

Assessment

Julia says that Lincoln has been exclusively breastfed since birth. He has always latched well but doesn't nurse for long periods (5-10 minutes total) and is on a set schedule of eating every four hours. Julia hasn't started Lincoln on solid foods yet.

1. What are some of the red flags from your conversation thus far?

2. What other questions do you want to ask Julia?

3. Do you agree with the doctor's recommendation to supplement with formula? Why or why not?

ARIZONA WIC
4. What are you concerned about regarding Lincoln's feeding and growth?
5. How can you affirm mom and breastfeeding while making weight gain and Lincoln's health a priority?
When you have finished, write your SOAP/ADIME note below.

Discussion Notes:

135: Inadequate Growth Case Study

General Information

Maria has brought her 6-month-old baby girl, Loren, into her high-risk appointment today.

Loren's birth weight: 6 lbs 13 oz

Current weight (6 months): 10 lbs 8 oz

Length: 19"

Length: 25¹/₄"

Assessment

When asked, Maria says that everything is going great and she loves being a new mom. She is exclusively breastfeeding because she knows it is the healthiest nutrition for her baby. She has a great support system at home and says nursing Loren is going really well. She tells you that she has never had any trouble with breastfeeding and feels like she has become a pro at it. When you ask her about how often she is nursing little Loren, Maria tells you that she has downloaded a helpful phone app that tells her when to feed the baby.

1. What other information would you like to collect at this point? Are there any red flags that have popped up?

2. What follow-up questions would you want to ask Maria?

3. Now that you have completed the assessment, what can you identify as potential nutrition concerns? What nutrition care plan would you put together for Loren?

When you have finished, write your SOAP/ADIME note below.	
Discussion Notes:	

343: Diabetes Mellitus Case Study

General information

Erica is the mother of a 10-month-old baby girl named Jaiden. Jaiden was recently diagnosed with type 1 diabetes (DM) and was referred to you. You take her current weight and length and see that she is tracking well on the infant growth grid.

Assessment

After inviting Erica and Jaiden into your office, you welcome her and then, using projective techniques, ask her to pick a fabric showing how she feels about mealtime with Jaiden. Erica picks a piece of fabric (it looks like old-fashioned curtains) and you ask her to tell you what this fabric says about how she feels. Erica says she picked it because it felt weird and confusing to her, she couldn't identify it. She explains that this is how she feels about mealtimes with Jaiden because she feels so confused about the way Jaiden eats and her insulin. She tells you that she offers her the meals or snacks and sometimes Jaiden gobbles it right up and other times she throws the plate of food on the floor or just plays with the foods; this makes Erica stressed because of Jaiden's nutrition and insulin. Mom tells you that she is exclusively nursing and offering three meals with the rest of the family and three snacks. She says that Jaiden eats some of the family meals and sometimes a partially pureed meal. Her snacks are either breastfeeding by itself or sometimes combined with some fruit, cheese or other healthy snack. She tells you that she has learned a lot from Jaiden's medical team and is working closely with an RDN to make sure Jaiden is getting good nutrition and her DM is under control.

1. Are you able to identify any red flags?

2. What are Erica's biggest concerns?

ARIZONA WIC 3. What other information would you like to collect from Erica? 4. What nutrition topics/education would you offer to Erica? When you have finished, write your SOAP/ADIME note below.

Discussion Notes:

362: Developmental Delay Case Study

General information

Brandon has brought in his 8-month-old baby boy Jackson. Jackson was diagnosed with Down syndrome and has recently been having feeding issues. After taking his current weight and length, you see that he is tracking well on the growth grid.

Assessment

You learn that Jackson was referred by his pediatrician for further feeding assessment and treatment through the local children's hospital. Brandon told you that Jackson sees a feeding therapist twice a week and that they are having him add a thickening agent to any liquids that Jackson is given. Dad said that Jackson was not able to eat solid foods well and even had a hard time swallowing purees. Now he can eat purees better, but he still isn't able to eat finger foods or liquids. Brandon says that he and his wife are always so nervous around feeding times due to fear of Jackson choking and they are worried he is not getting the nutrition he needs because his diet seems to be so limited.

1. What other questions would you want to ask Brandon about Jackson's feedings?

2. How can you give reassurance to Brandon about Jackson's feeding delay?

3. What nutrition education can you offer the family?
4. How would you plan to follow-up with Brandon and Jackson?
5. What resources or referrals would you offer Brandon?



Formula Case Study #1: Alimentum

What is Alimentum formula intended for?

Carrie brings her baby Rosie into the WIC clinic seeking Alimentum formula. After talking with Carrie, you learn that Rosie has had sensitivities to other formulas. Rosie was born at 35 weeks gestation and weighed 3 pounds 11 ounces. After breastfeeding for the first week, Carrie felt that Rosie wasn't getting enough milk so she started supplementing with Similac Advance. Carrie took Rosie (at 2 weeks old and weighing 4 pounds 6 ounces) to the doctor who recommended switching Rosie to Neosure. After trying this formula for several weeks, Rosie began to be gassy, fussy, and started having bloody stools. Now, with Rosie being 7 weeks old and weighing 5 pounds 15 ounces, Carrie returned to the doctor, who this time recommended Alimentum mixed to 22 kcals per ounce.

1.	What is Similac Advance formula intended for?
2.	What is different about Neosure formula? Why would Rosie's doctor have recommended it?
3.	What are some reasons why an infant wouldn't tolerate Similac Advance or Neosure?

Carrie provides you with her Alimentum prescription:

Severe Food Allergy Intestinal Malabsorption Failure to Thrive Low Birth Weight Prematurity Developmental Disorder Metabolic Disorder Immune System Disorder Imappropriate Growth Patterns4 Formula Intolerance4 Other Diagnosis: This year of Total Comfort	Intestinal Malabsorption NA	Similac Soy Isomil	Similac Advance	Similac Soy Isomil Similac Sensitive NA Similac For Spit-up NA
Intestinal Malabsorption	Intestinal Malabsorption NA	Similac Sensitive NA	Similac Soy Isomil	Similac Soy Isomil
Failure to Thrive Low Birth Weight Prematurity Developmental Disorder Immune System Disorder Inappropriate Growth Patterns4 Formula Intolerance# Other Diagnosis: This yorky be selected for Similar Sensitive, Spit-up, or Total Comfort	NA	Similac Sensitive NA Failure to Thrive Similac for Spit-up NA NA Similac Total Comfort NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Alimentum* NA NA Berber Extensive HA* NA NA Berber Extensive HA* NA NA Enfamil Enfacer* NA Inappropriate Growth Patterns* Enfamil Enfamil Enfacer* NA Inappropriate Growth Patterns* Enfamil Enfamil Enfacer* NA Inappropriate Grow	Similac Sensitive NA Failure to Thrive Similac for Spit-up NA NA Similac Total Comfort NA NA Alimentum* NA Developmental Disorder Nutramigen* Developmental Disorder Metabolic Disorder Immune System Disorder Impopropriate Growth Patterns* Formula Intolerance* Other Diagnosis: Will Special Formulac When requesting this formula, complete this form, but also request formula from AHCCCs if patient qualifies (see AHCCCS Exhibit 430-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day. Length of Time for Food and/or Formula Request Will Froods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Similac Sensitive NA Failure to Thrive Similac for Spit-up NA NA Similac Total Comfort NA NA Alimentum* NA Developmental Disorder Nutramigen* Developmental Disorder Metabolic Disorder Immune System Disorder Impopropriate Growth Patterns* Formula Intolerance* Other Diagnosis: Will Special Formulac When requesting this formula, complete this form, but also request formula from AHCCCs if patient qualifies (see AHCCCS Exhibit 430-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day. Length of Time for Food and/or Formula Request Will Froods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
Low Birth Weight Prematurity Developmental Disorder Immune System Disorder Imappropriate Growth Patterns4 Formula Intolerance# Other Diagnosis: This yorky be selected for Similar Sensitive, Spit-up, or Total Comfort	NA NA Developmental Disorder Disorder Disorde	Similac for Spit-up NA NA NA Alimentum* NA Alimentum* NA NA Alimentum* NA N	Similac for Spit-up NA NA	Similac for Spit-up NA NA
Prematurity Developmental Disorder Metabolic Disorder Immune System Disorder Inappropriate Growth Patterns4 Formula Intolerance# Other Diagnosis: This yorky be selected for Similar Sensitive, Spit-up, or Total Comfort	Prematurity Developmental Disorder Metabolic Disorder Immune System Disorde	Similac Total Comfort	Similac Total Comfort	Similac Total Comfort
Developmental Disorder Metabolic Disorder	Developmental Disorder Metabolic Disorder	Alimentum* My Metabolic Disorder Metabolic Disorder Immune System D	Alimentum* Nutramigen* Developmental Disorder Developmental Disor	Alimentum* Nutramigen* Developmental Disorder Developmental Disor
Metabolic Disorder Immune System Disorder Inappropriate Growth Patterns4 Formula Intolerance# Other Diagnosis: This yorky be selected for Similar Sensitive, Spit-up, or Total Comfort	Metabolic Disorder Immune System Disorder	Nutramigen*	Nutramigen*	Nutramigen*
Immune System Disorder Inappropriate Growth Patterns4 Formula Intolerance# Other Diagnosis: This yorky be selected for Similar Sensitive, Spit-up, or Total Comfort	Immune System Disorder Inappropriate Growth Patterns4 Formula Intolerance F Other Diagnosis: When requesting this formula. Also request formula from AHCCCS if patient Exhibit 439-2) The property of the patient of t	Gerber Extensive HA*	Gerber Extensive HA*	Gerber Extensive HA*
Inappropriate Growth Patterns4 Formula Intolerance # Other Diagnosis: This is a sensitive, Spit-up, or Total Comfort	NA	NA NA Inappropriate Growth Patterns# Inappropriate Growth Pa	NA	NA
Formula Intolerance # US Other Diagnosis: #May only be selected for Similar Sensitive, Spit-up, or Total Comfort	NA	Enfamil Enfacare* NA NA Contential for issuance NA NA NA Contential for issuance NA NA NA NA NA Contential for issuance NA	Enfamil Enfacare* NA NA Pediasure* NA NA NA NA Other Diagnosis: WIC Special Formula: When requesting this formula: Comfort qualifies (see AHCCCS Exhibit 439-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Enfamil Enfacare* NA NA Pediasure* NA NA NA NA Other Diagnosis: WIC Special Formula: When requesting this formula: Comfort qualifies (see AHCCCS Exhibit 439-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
Other Diagnosis: #May only be selected for Similac Sensitive, Spit-up, or Total Comfort	Other Diagnosis: Other Diagnosis: Other Diagnosis: Afortissusnoe) NA NA	Enfamil Enfacare* NA NA Other Diagnosis: Pediasure* NA NA OTHER Diagnosis: Other D	Pediasure* NA NA Dispecial Formula: When requesting this formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 439-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Length of Time for Food and/or Formula Request Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Pediasure* NA NA Dispecial Formula: When requesting this formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 439-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Length of Time for Food and/or Formula Request Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
#May only be selected for Similac Sensitive, Spit-up, or Total Comfort	A for issuance) NA NA When requesting this formula, also request formula from AHCCCS if patient Exhibit 430-2) The for Food and/or Formula Request formula Request irthday OR Prepared Fluid Ounces per day. The for Food and/or Formula Request irthday OR Number of Months: The and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits,	Pediasure* (must meet WIC criteria for issuance) NA NA	Pediasure* (mast meet WIC criteria for issuance) NA NA	Pediasure* (mast meet WIC criteria for issuance) NA NA
	When requesting this formula, Lakso request formula from AHCCCS if patient Exhibit 430-20 The prepared Fluid Ounces per day: For Food and/or Formula Request inthday OR Number of Months: Parallel Sensitive, Spit-up, or Total Comfort A lib OR Number of Months:	**WIC Special Formula: When requesting this formula. complete this form, but also request formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 430-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Length of Time for Food and/or Formula Request Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	**WIC Special Formula: When requesting this formula, complete this form. but also request formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 439-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	**WIC Special Formula: When requesting this formula, complete this form. but also request formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 439-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
	mula Requested Per Day mula Requested Per Day mum OR Prepared Fluid Ounces per day	Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	complete this form, but also request formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 430-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	complete this form, but also request formula from AHCCCS if patient qualifies (see AHCCCS Exhibit 430-2) Amount of Formula Requested Per Day WIC Maximum OR Prepared Fluid Ounces per day: Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
er day	e for Food and/or Formula Request irthday OR Number of Months: e and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits,	Length of Time for Food and/or Formula Request Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Length of Time for Food and/or Formula Request Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Length of Time for Food and/or Formula Request Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
	irthday OR Number of Months:e and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits,	Until first birthday OR Number of Months: WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Until first birthday OR Number of Months: . WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Until first birthday OR Number of Months: . WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
	e and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits,	WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, regetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	. WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	. WIC Foods Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
		Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.	Depending on age and category, WIC foods may include whole grains (bread, rice, pasta, tortillas), breakfast cereal, fruits, vegetables, beans, canned fish, peanut butter, milk, cheese, yogurt, eggs, juice, and infant fruits, vegetables, and meats.
eggs, juice, and infant fruits, vegetables, and meats.		프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE TRANSPORT OF THE PROPERTY OF THE	HOME OF THE TRANSPORT OF THE PROPERTY OF THE
\$\dagger_\$\d	[18] 이 시간			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or		List specific WIC Foods to NOT GIVE to this patient starting at age 6 months	
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
eggs, juice, and infant fruits, ve				
to provide unless indicated below		프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE TRANSPORT OF THE PROPERTY OF THE	HOME OF THE TRANSPORT OF THE PROPERTY OF THE
	ו Dietitian/Nutritionist will determine which foods to provide unless indicated below	Check this hay to NOT GIVE ANY WIC Foods to this nations starting at age 6 months and beyond or	Check this box to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and hexand or	Check this box to NOT GIVE ANY WIC Foods to this nations starting at age 6 months and havend or
\$\dagger_\$\d	10mm (1) 10m			
\$\dagger_\$\d	10mm (1) 10m			
\$\dagger_\$\d	10mm (1) 10m		Later the second state of the contract of the contract of the patient of the contract of the c	one on the rest of the rest and restauration and patient additing at age of months and perford of
\$\dagger_\$\d	10mm (1) 10m			
\$\dagger_\$\d	[18] 이 18 [18] [18] [18] [18] [18] [18] [18] [
to provide unless indicated below		프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE TRANSPORT OF THE PROPERTY OF THE	HOME OF THE TRANSPORT OF THE PROPERTY OF THE
to provide unless indicated below	IN ACCOUNT OF THE PROPERTY OF	ie wic Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below		
to provide unless indicated below	Interest and the second		ie filo fregiotetes ofernant frautionist fill seterimie fillion found to profine unless material belon	
	229900000000000000000000000000000000000		he WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below	ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below
		a 1990 Departured Distition Ministrates will determine which founds to available reduce hadrested below	ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below	ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below
			ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below	ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below
		a 1990 Departured Distition Ministrates will determine which founds to available reduce hadrested below	ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below	ne WIC Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below
to avaida malaca ladicated bulance			ne wito negistered Dietitian/Nutritionist will determine which foods to provide unless indicated below	ie wio negistereu pietitian/nutritionist will getermine which foods to provide unless indicated below
to provide unless indicated below	Interest to the state of the st	ie wic Registered Dietitian/Nutritionist will determine which foods to provide unless indicated below		
to provide unless indicated below		프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE	HOME OF THE
	1 Dietitian/Nutritionist will determine which foods to provide unless indicated below	프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE	HOME OF THE
	Dietitian/Nutritionist will determine which foods to provide unless indicated below	프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE	HOME OF THE
The state of the s	Dietitian/Nutritionist will determine which foods to provide unless indicated below	프로스 이 보는 이번 전에 가는 바로 이 보고 있는데 이 경험을 하는데 보고 있는데 이 경험을 하는데 보고 있다면 되었다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보고 있다면 하는데 보다면 되었다면 하는데 보고 있다면 하는데 보고 있다면 하는데 보고 있다면 되었다면 하는데 보다면 되었다면 되었다면 하는데 보다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었다면 되었	HOME OF THE	HOME OF THE
\$\dagger_\$\d	10	L. I. Check this boy to NOT GIVE ANY WIC Foods to this nationt starting at age 5 months and beyond or	L. L. Check this box to NOT GIVE ANY WIC Foods to this patient starting at age 5 months and beyond or	L. I. Check this boy to NOT GIVE ANY WIC Foods to this national starting at age 5 months and beyond or
\$\dagger_\$\d	10		- Services where the service is the service is the parent continue of one of the parent of the service of the s	one on the rest of the terms in the research and patient additing at age of floridia and perting of
\$\dagger_\$\d	10	one of the section of the sect	- Street and see to the first street the first see to the parent stateling at age of findings and beyond of	- Shows the section of street, the recent of any parent stately at age of months and beyond of
\$\dagger_\$\d	10	Control and the state of the st	and and an art	and the second to the second to the second to the parameter and thing at age of months and persons of
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or			
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months
t age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months		List specific WIC Foods to NOT GIVE to this patient starting at age 5 months
nt age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 5 months Healthcare Provider's Information
nt age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information
nt age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information
nt age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information
nt age 6 months and beyond or	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information of the code one of the code of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (N.D., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.
nt age 6 months and beyond or is N.M., H.M.D.	ox to NOT GIVE ANY WIC Foods to this patient starting at age 6 months and beyond or cods to NOT GIVE to this patient starting at age 6 months ovider's Information or construction of the	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months Healthcare Provider's Information palthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.	List specific WIC Foods to NOT GIVE to this patient starting at age 6 months . Healthcare Provider's Information ealthcare Provider's Title (circle one) (M.P., D.O., P.A., N.P., N.M.D., C.N.M., H.M.D.

5.	Is this prescription filled out correctly? What, if any, information do you still need?
6.	Does providing Alimentum address all of the concerns with feeding Rosie (low weight, prematurity and food sensitivities)?
7.	Is Alimentum a WIC approved formula?
8.	Would you be able to give Alimentum if the diagnosis on the prescription only indicated prematurity?
9.	What additional questions would you want to ask Carrie in order to complete your nutrition assessment?

You obtain all the information needed to process this prescription for Rosie and let the family go home. About seven months later, Carrie and Rosie come back to your office. Rosie is now 9 months old and weighs 15 pounds 9 ounces and is 26½". She has grown on Alimentum mixed to 22 kcals per ounce and had no problems starting solid foods at 6 months. Carrie tells you that Rosie's doctor is very happy with the progress that Rosie has made and thinks that Carrie can stop mixing the formula to 22 kcals now.

10. Do you agree with Rosie's doctor? Why or why not?

11. How would you explain mixing the formula to 20 kcals per ounce to Carrie?

Formula Case Study #2: Similac Sensitive

Sara and 2-month-old Jacob have been referred to you with a formula prescription. Sara tells you that she thinks Jacob is lactose intolerant because he seems to have problems digesting the regular formula he has been taking. Sara explains that Jacob is really fussy and gassy. Their pediatrician recommended switching to a lactose-free formula. Sara gives you the following prescription:

		MILLER		2. Patient's Date of Birth:	
3. Type of Formula Reque	-		Market .	4. Diagnosis (select one or more	diagnoses)
Formula Name Similac Advance	Powder	Concentrate	RTF	Gastroesophageal Reflux Disease	
Similac Soy Isomil	H		-	Severe Food Allergy Intestinal Malabsorption	— <u> </u>
Similac Soy isomii Similac Sensitive		NA NA		Failure to Thrive	
Similar for Spit-up		NA NA	NA NA	Low Birth Weight	
Similac Total Comfort	H	NA NA	NA NA	Prematurity	
Alimentum*	౼	NA NA		Developmental Disorder	
Nutramigen*		NA П		Metabolic Disorder	
Gerber Extensive HA*	H			Immune System Disorder	
Similac Neosure*		NA	NA	Inappropriate Growth Patterns I	
Enfamil Enfacare*		NA		Formula Intolerance#	
		NA		Other Diagnosis:	
Pediasure* (must meet WIC criteria for issuance)	NA	NA		GERBERGOUD START	840 O AB HA 195-1
qualifies (see AHCCCS Exhibit 430-2) . Amount of Formula Requ	ested P	er Day			
☐ WIC Maximum	OR	Prepare	ed Fluid Oun	ces per day:	
Length of Time for Food	and/or F	ormula Req	uest		
☐ Until first birthday	OR	Numbe	r of Months:		
	ory WIC			grains (bread, rice, pasta, tortillas), break gurt, eggs, juice, and infant fruits, vegetal	
vegetables, beans, canned fi he WIC Registered Dietitian/	sh, pean Nutrition	ist will deter		oods to provide unless indicated below ting at age 6 months and beyond or	
Depending on age and categ vegetables, beans, canned fi he WIC Registered Dietitian/I	sh, pean Nutrition VE ANY W	ist will deterr	is patient star	ting at age 6 months and beyond or	
Depending on age and categ vegetables, beans, canned find with the WIC Registered Dietitian/I Check this box to NOT GI	sh, pean Nutrition VE ANY W	ist will deterr /IC Foods to th his patient sta	is patient star	ting at age 6 months and beyond or	
Depending on age and categoregetables, beans, canned fine WIC Registered Dietitian/ Check this box to NOT GI List specific WIC Foods to NOT	sh, peans Nutrition VE ANY W GIVE to the	ist will deterr I'C Foods to th his patient sta	is patient star	ting at age 6 months and beyond or months	
Depending on age and categ vegetables, beans, canned fi he WIC Registered Dietitian/I Check this box to NOT GI List specific WIC Foods to NOT B. Healthcare Provider's Intellegathcare Provider's Title (cir	sh, peans Nutrition VE ANY W GIVE to the	ist will deterr I'C Foods to th his patient sta	is patient star rting at age 6 A., N.P., N.M.	ting at age 6 months and beyond or months	

1.	What formula is the pediatrician requesting? Is this formula appropriate for the participant?
2.	Can Arizona WIC provide this formula for the participant? Why or why not?
3.	Are there any other issues with this prescription?
4.	What is the policy for incomplete prescriptions? (See Chapter 4 of the Arizona WIC Policy and Procedure Manual)
5.	Can you accept the prescription with the way that it is signed?
6.	How can you explain to a parent or caregiver that the formula their doctor is recommending is one that Arizona WIC cannot provide?

After discussing with Sara, you both decide to call Jacob's pediatrician and get a new prescription
faxed over with the correct formula for Jacob.

7. How can you explain to a pediatrician that the formula they requested for a patient is one that Arizona WIC cannot provide?

8. How can you explain to the doctor that the prescription form needs to be filled out completely for it to be approved?